

Optimizing Reflex Urine Cultures: Using a Population-Specific Approach to Diagnostic Stewardship



Duke Center for Antimicrobial Stewardship and Infection Prevention

Introduction

- Clinicians and laboratories routinely use urinalysis (UA) results to determine if urine cultures and/or antimicrobials are indicated for patients with suspected urinary tract infection.
- Yet, the performance of individual UA parameters and common clinical thresholds for action are not well defined.
- Our objectives were to compare the performance of different UA parameters in predicting significant bacteriuria irrespective of symptoms, and to assess performance of pyuria based on age, sex, and presence of indwelling catheter.

Methods

- Design and Setting: We performed a retrospective review from 2015 to 2020 in 3 hospitals (1 academic and 2 community) and >150 outpatients clinics in North Carolina
- Paired UA and urine cultures were included if UA was ordered <= 24</p> hours prior to urine culture
- **Definitions:** Urine culture results were categorized as positive, negative, or mixed. A positive culture with bacterial growth >100,000 colony forming units/mL was considered to be significant bacteriuria.
- We used this definition to evaluate the performance of relevant UA parameters and result thresholds including sensitivity, specificity, negative predictive value (NPV) and positive predictive value (PPV).
- Analysis: We also combined 18 different UA criteria and used receiver operating characteristic curves to identify the top 5 performing models for predicting significant bacteriuria (sensitivity and specificity).

Sonali D. Advani MBBS, MPH,¹, Nicholas A. Turner MD MHSc¹, Kenneth E. Schmader MD², Rebekah H. Wrenn PharmD³, Rebekah W. Moehring MD, MPH¹, Christopher R. Polage MD, PhD⁴, Valerie Vaughn MD, MSc⁵ Deverick Anderson MD, MPH¹,

1- Division of Infectious Diseases, Duke University; 2- Division of Geriatrics, Duke University; 3- Department of Pharmacy, Duke Hospital; 4- Department of Pathology, Duke University; 5-Division of General Internal Medicine, University of Utah

Table 1A: Performance of Individual Urinalysis Parameters for Predicting Significant Bacteriuria							
Leukocyte Esterase		≥Trace			≥1+	≥ 2 +	
Sensitivity		0.8	0.87		0.78	0.78 0.58	
Specificity		0.55			0.67	0.83	
PPV		0.43			0.48	0.57	
NPV		0.91			0.89	0.84	
WBC Count/hpf		≥5			≥10	≥20	
Sensitivity		0.78			0.61	0.61 0.41	
Specificity		0.55			0.73 0.86		36
	PPV		0.32		0.38 0.44		14
NPV		0.90		0.87 0.84		34	
Nitrite		Positive					
Sensitivity		0.41					
Specificity		0.95					
	PPV		0.75				
	NPV		0.80				
	Bacteria Count/hpf		5-50		>50		
	Sensitivity		0.93		0.77		
Specificity		0.37			0.74		
PPV		0.40			0.57		
NPV		0.92			0.88		
Yeast Count/hpf		Positive					
	Sensitivity		0.60				
Specificity		0.95					
	PPV		0.53				
	NPV		0.96				
Table 1B: Complete Parameter Estimates for Models with Top 5 Area Under							
the Receiver Operating Characteristic curve (AUROC) Performance							
Model	Test Rule	AUROC	Sensitiv	vity	Specificity	PPV	NPV
6	≥20 WBCs OR positive nitrites	0.77	0.79		0.75	0.60	0.88
9	≥20 WBCs OR ≥2+ leukocyte esterase OR positive nitrites	0.75	0.86		0.65	0.56	0.90
3	≥2+ leukocyte esterase OR positive nitrites	0.76	0.73		0.80	0.59	0.88
5	≥10 WBCs OR positive nitrites	0.75	0.86	5	0.64	0.53	0.90
2	≥1+ leukocyte esterase OR positive nitrites	0.75	0.85		0.65	0.49	0.91

WBC- white blood cell, hpf- high powered field, PPV-positive predictive value, negative predictive value

Results

- significant bacteriuria (Table 1A).
- pyuria alone (Table 1B).
- with indwelling catheters (Table 2).

Table 2: Compari WB Male, <65 years of ag Male, ≥ 65 years of ag Female, <65 years of Female, ≥ 65 years of Non-catheterized sp **Catheterized specim**

Conclusions

Sonali D. Advani, MBBS, MPH, FIDSA Assistant Professor of Medicine **Division of Infectious Disease Duke University School of Medicine** Durham, NC 27701 sonali.advani@duke.edu Abstract # 1261422



There were 221,933 encounters during the 6-year period; 10% were catheterized, 29% were positive, 30.7% were negative.

No single UA parameter had both - high sensitivity and high specificity.

Absence of leukocyte esterase and pyuria had a high NPV for

In terms of NPV, combined UA parameters did not perform better than

The high NPV >=0.90 of pyuria was maintained among most patient age and sex subgroups with the exception of females ≥ 65 and patients

ng NPV of Pyuria based on Age, Sex, and Source of Collection							
≥5							
0.94							
0.92							
0.90							
0.86							
0.91							
0.87							

UA parameters should be leveraged for their NPV instead of sensitivity, when used as a part of diagnostic workup.

Future reflex urine culture workflows and diagnostic stewardship algorithms should incorporate population-specific UA criteria and/or focus on populations where NPV of pyuria is high.